



NOTES

1. CONTOURS SHOWN AT 0.1m INTERVAL.
2. UNDERFILL DRAINAGE IS TO BE INSTALLED AT THE DIRECTION OF THE ENGINEER. IF THE CONTRACTOR ENCOUNTERS SPRINGS OR OTHER SOURCES OF WATER HE IS TO NOTIFY THE ENGINEER.
3. ALL UNSUITABLE MATERIAL AS DEFINED IN THE SPECIFICATION IS TO BE REMOVED AND THE STRIPPED AREAS INSPECTED BY THE ENGINEER BEFORE FILLING COMMENCES.
4. EARTHWORKS ARE NOT TO BE EXTENDED INTO ADJOINING SITES UNLESS THE ENGINEER HAS ISSUED SPECIFIC INSTRUCTIONS.
5. THE CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING AND PROTECTING EXISTING SERVICES AND DRAINAGE ON SITE.
6. THE CONTRACTOR SHALL CLARIFY THE AREAS AND EXTENT OF CLEARING WITH THE ENGINEER BEFORE COMMENCEMENT AND CONFIRM THAT ALL NECESSARY CONSENTS ARE IN PLACE.

LEGEND

- FINAL CONTOURS (Major) — 12.0 —
- FINAL CONTOURS (Minor) - - - 12.0 - - -
- FINISHED SURFACE LEVELS x 11.50
- LOT PAD LEVELS RL 2.00
- LOW AND HIGH POINTS x LP 11.80
- EXISTING TREE TO REMAIN 
- EXISTING TREE TO BE REMOVED 
- SURVEYED TOP OF RIVER BANK — 12.0 —


CCC Advice Note
 RMA/2019/1823 Amended Consent Document

Christchurch City Council
Approved Consent Plan 1
RMA92023697
62 Pages
3/12/2013




REVISION DETAILS	NAME	DATE
1. ISSUED FOR CONSENT	BL	30/07/13
2. ISSUED FOR CONSENT	RAB	19/09/13
3. ISSUED FOR CONSENT	BL	22/10/13
4. ISSUED FOR CONSENT	BL	29/11/13

CLIENT:



PORTLINK INDUSTRIAL ESTATE - NORTHERN FILL
 KENNAWAY ROAD, WOOLSTON
 FINAL CONTOURS PLAN
 CHRISTCHURCH CITY COUNCIL



DESIGNED: RB	ISSUED FOR INFORMATION
CHECKED:	DRAWN: BL
APPROVED:	SURVEYED: WOODS
JOB NUMBER: 40046	SCALE: 1:1000 @ A1
ISSUED: XXX	1:2000 @ A3
DWG. NO. 40046-NF-EW-101	REV. 4